



Ordering Information

Commercial model number:
Q3939A (BCC/201)

Canada model number:
Q3939A (BCC)

Sidebar

In the box:

Print cartridges (1 each black, cyan, magenta, yellow)
Control panel overlays
Software and documentation on CD-ROM
HP Digital Sending Software

Software:

HP common installer
HP Internet installer
HP common drivers
HP installer
Postscript Printer Description (PPD) files
Printer Dialog Extensions (PDEs)
HP Printer Utility for Mac

Standard warranty:

1 year Next Business Day Onsite

Replaces

[HP Color LaserJet 9500mfp](#) C8549A [Compare](#)

HP Care Pack Options

Recommended Care Pack Services

Installation with Network Setup Service **U2014E**

Next Business Day Onsite: 3 years **UJ165E**

Optional Care Pack Services

Installation with Network Setup Service **U2014E**

Same Day Onsite, Standard Business **UJ168E**

Maximize productivity and color quality in a fast, high-volume multifunction laser printer with fax.

Accelerate through your day with HP's fastest laser print and processing speeds. Tackle big print jobs with plenty of onboard memory. Get the first page just seconds after you press print. Do more and do it fast with this multifunction laser printer.



[Enlarge Image](#)

It doesn't matter if you have one or a dozen multifunction printers—HP makes it easy to manage all of them. Users will find easy-to-use menus on each device. Simplify the supply management and maintenance of your fleet of MFPs with HP Web Jetadmin.

Create exceptionally high-quality color documents up to 11 x 17—great for printing marketing materials in-house. Get amazing results for all your text and color graphics printing with HP ColorSphere toner.

Operate at peak efficiency using a space-saving, low-maintenance multifunction printer. Improve workflow with duplexing, stapler/stacker, booklet maker, touchscreen control panel, four 500-sheet paper trays and easy-to-change toner cartridges.

Compatible Operating Systems

Standard Desktop

Windows 2000	*
Windows XP	*
Windows Server 2003	*
Windows Vista®	*
Windows® 7	Available through HP Universal Print Driver
Windows® 8	Available through HP Universal Print Driver
Linux	See http://www.hpip.net
Mac OS	Mac OS X v 10.2.8, 10.3, 10.4, 10.5, 10.6

Standard Network

Windows 2000	*
Windows XP	*
Windows Server 2003	64-bit
Windows Vista®	64-bit
Other	Novell 5.1 and later; Mac OS X v 10.2, 10.3, 10.4 and later; Red Hat Linux 7.x and later; SuSE Linux 8.x and later; HP-UX 10.20, 11.x, 11.i; Solaris 2.5 and later (SPARC systems only); IBM AIX 3.2.5 and later 1; MPE-iX; Citrix MetaFrame Server; Windows Terminal Services

Optional Desktop/Network

Optional Desktop/Network	Windows 2000; Windows XP; Windows Vista; Windows Server 2003; Mac OS X v 10.2.8 or higher
--------------------------	---

Hours: 3 years

Same Day Onsite, Standard Business Hours: 4 years

UJ170E

Same Day Onsite, Standard Business Hours: 5 years

UJ172E

Same Day Onsite, Extended Business Hours: 3 years

UJ169E

Same Day Onsite, Extended Business Hours: 4 years

UJ171E

Same Day Onsite, Extended Business Hours: 5 years

UJ173E

Next Business Day Onsite: 3 years

UJ165E

Next Business Day Onsite: 4 years

UJ166E

Next Business Day Onsite: 5 years

UJ167E

Next Business Day Onsite with DMR: 3 years

UL411E

Next Business Day Onsite with DMR: 4 years

UT980E

Next Business Day Onsite with DMR: 5 years

UU861E

Next Business Day Onsite Call-to-Repair with DMR: 3 years

HZ273E

Next Business Day Onsite Call-to-Repair with DMR: 4 years

HZ274E

Next Business Day Onsite Call-to-Repair with DMR: 5 years

HZ275E

Additional Information

Sales

www.hp.com
[Data Sheet 4AA1-8132ENUC](#)

Technical Support

www.hp.com/support

Third-party solutions

www.hpgsc.com

Reseller

<http://hp.com/partners/us>

Services

<http://www.hp.com/go/services>

Supplies and accessories

www.hp.com

Brand Specifications

PRINTER

Print Technology

Laser

AIO/MFP Functions

Color printing, color copy, color scanning (send to e-mail and folder), black and white faxing

Print Speed Black, Letter:

ISO/Best Quality

Up to 40 ppm¹

Print Speed Color, Letter:

ISO/Best Quality

Up to 40 ppm¹

First Page Out

As fast as 11.5 sec

Processor

835 MHz

Paper Trays, Std

5

Paper Trays, Max

5

Input Capacity, Std

2,100 sheets

Input Capacity, Max

2,100 sheets

Output Capacity, Std

500 sheets

Output Capacity, Max

Up to 2,150 sheets with 3-bin stapler/stacker (A4/letter), up to 1,050 sheets (long media); up to 2,550 with 3-bin stapler/stacker/booklet maker (A4/letter) or 1,000 sheets (long media) in the 2 stacking bins up to 25 pages in the booklet maker

Envelope Input, Std

10

Envelope Feeder

No

Two-Sided Printing

Automatic (standard)

Typefaces

80 scalable TrueType PS

Print Quality, Black Best

Up to 1200 x 600 dpi

Print Quality, Color Best

Up to 1200 x 600 dpi

Print Resolution Technology

HP ImageREt 4800

Print Cartridges

4 (1 each black, cyan, magenta, yellow)

Print Languages, Std

HP PCL 5, HP PCL 6, HP postscript level 2 emulation; (HP postscript level 3 emulation supported)

Printer Management

Not available

Display Type

Touchscreen, LCD (black and white graphics)

SCANNER

Scan Speed

Up to 40 ppm (black and white and color)²

Scan Resolution, Enhanced

Up to 600 dpi

Scan Resolution, Optical

Up to 600 dpi

Grayscale Levels

256

COPIER

Copy Speed, Max, Black

Up to 40 cpm

Copy Speed, Max, Color

Up to 40 cpm

Copy Resolution, Black Text

Up to 600 x 600 dpi

Copy Resolution, Black Graphics

Up to 600 x 600 dpi

Copy Resolution, Color Text And Graphics

Up to 600 x 600 dpi

Copier Settings

Two-sided copying, collation, contrast adjustments, image adjustment, content

years

Second Business Day Onsite Call-to-Repair with DMR: 3 years

Second Business Day Onsite Call-to-Repair with DMR: 4 years

Second Business Day Onsite Call-to-Repair with DMR: 5 years

Maintenance Kit Replacement Service (Fuser)

Maintenance Kit Replacement Service (ADF)

Maintenance Kit Replacement Service (Transfer)

Maintenance Kit Replacement Service (Roller)

Post Warranty Service, Remote User Assistance Support: 1 year

Post Warranty Service, Same Day Onsite, Standard Business Hours: 1 year

Post Warranty Service, Same Day Onsite, Extended Business Hours: 1 year

Post Warranty Service, Next Business Day Onsite: 1 year

Post Warranty Service, Next Business Day Onsite: 2 years

HZ277E

HZ278E

HZ279E

UJ189E

UJ191E

UJ192E

UJ573E

UU927PE

UJ175PE

UJ176PE

UJ174PE

UT829PE

orientation, N-up, background removal, job storage, output bin selection, edge-to-edge printing, job build

Number Of Copies, Max 999
Copier Reduce/Enlarge 25–400%

FAX

Fax Speed 13 sec per page³
Fax Memory Utilizes 80 GB hard disk³
Fax Resolution, Best Up to 300 x 300 dpi
PC Fax Interface Yes, PC fax send only
Speed Dialing, Max Numbers 100 numbers
Fax Forwarding Yes
Fax Blocking Yes

DIGITAL SENDING

Digital Sending Features, Std Black and white scan, color scan, scan to folder (includes shared address book for fax), scan direct to email server, send to e-mail, analog fax, LDAP e-mail addressing. authentication includes Windows Negotiated (Kerberos and NTLM), Group 1 and Group 2 PIN authentication, LDAP authentication, authentication manager

Digital Sending Features, Opt Optional Digital Sending software (includes additional functionality including Integrated LAN and Internet fax, Address Book Manager, E-mail Addressing that includes LDAP Addressing and Replication, Personal Address Book, Local Address Book, Workflow applications including Send to Printer and OCR Scanning); Send to Workflow (includes Send to Printer, Send to FTP, and Send to Folder); HP DSS 4 is included with the device but must be installed separately

Digital Sending File Formats Send to e-mail and Send to network folder (includes PDF, JPEG, TIFF or MTIFF); OCR file formats (through DSS 4) (includes searchable PDF, TEXT, RTF [Microsoft Word Compatible], XML, HTM); Send to workflow (DSS) (includes XML, searchable PDF, TXT, RTF [Microsoft Word Compatible], HTML, PDF, JPEG, TIFF, MTIFF)

GENERAL

Duty Cycle, Monthly Up to 200,000 pages⁴
Recommended Monthly Volume 8,000 to 17,000 pages⁵
ADF Capacity 50 sheets
Media Types Paper (bond, recycled, glossy, mid-weight, heavy, heavy glossy, extra heavy, extra heavy glossy, rough, tough), transparencies, labels, envelopes, cardstock, user-defined

Media Sizes, Std Multipurpose tray 1: Letter, letter-R, legal, executive, statement, 8.5 x 13 in, 11 x 17 in, 12 x 18 in, index cards (4 x 6 in, 5 x 8 in), envelopes (No. 9, 10, Monarch); tray 2: letter, letter-R, legal, executive, 8.5 x 13 in, 11 x 17 in; trays 3, 4, and 5: letter, letter-R, legal, executive, 8.5 x 13 in, 11 x 17 in, 12 x 18 in

Media Sizes, Std, Metric A3, A4, A4-R, A5, B4 (JIS), B5, B5 (JIS), C5, DL, D Postcard (JIS), Executive (JIS), 8K, 16K

Media Sizes, Custom Multipurpose tray 1: 4 x 5.5 in to 12.6 x 18 in; tray 2: 5.8 x 8.3 in to 11.7 x 17 in; trays 3, 4, 5: 5.8 x 8.3 in to 12.6 x 18 in

Media Sizes, Custom, Metric Multipurpose tray 1: 98.6 x 139.7 to 320.00 x 432.00 mm; tray 2: 148.00 x 210.00 to 297.00 x 432.00 mm

Post Warranty Service, Next Business Day Onsite with DMR: 1 year

UL412PE

Post Warranty Service, Next Business Day Onsite Call-to-Repair with DMR: 1 year


HZ276PE

Post Warranty Service, Second Business Day Onsite Call-to-Repair with DMR: 1 year

HZ280PE

Media Weights	All trays: 16 lb to 58 lb (bond)
Media Weights, Metric	60 to 220 g/m ²
Connectivity, Std	Hi-Speed USB 2.0, 2 Host USB 2.0, Gigabit Ethernet 10/100/1000; 1 EIO, FIH, fax
Connectivity, Opt	HP Jetdirect internal, external and wireless print servers (printing only)
Mobile Printing Capability	None
Memory, Std	512 MB
Memory, Max	768 MB
Hard Disk Drive	Standard, embedded HP 120 GB non-encrypted hard disk drive
Power Supply Type	Internal
Power Supply Required	110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 10.5 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 5.5 A
Power Consumption	881 watts (printing), 920 watts (copying), 230 watts (ready), 208 watts (sleep 1), 21.5 watts (sleep 2), 0.72 watts (off) ⁶
Typical Electricity Consumption (TEC)	11.064 kWh/Week
ENERGY STAR® Qualified	Yes
Mac Compatible	Yes
Dimensions (W x D x H)	52.7 x 50.8 x 47.9 in (with optional Stapler/Stacker or Booklet Maker), 27.7 x 26.5 x 47.9 in (minimum)
Weight	319.5 lb
Dimensions, Metric	1339 x 1288 x 1105 mm (with optional Stapler/Stacker or Booklet Maker), 704 x 673 x 988 mm (minimum)
Weight, Metric	144.91 kg
Shipping Dimensions	32.19 x 28.9 x 77.7 in
Shipping Weight	352.7 lb
Shipping Dimensions, Metric	935 x 800 x 1439 mm
Shipping Weight, Metric	159.96 kg
Pallet Dimensions	32.19 x 28.9 x 77.7 in
Pallet Dimensions, Metric	935 x 800 x 1439 mm
Pallet Weight	352.7 lb
Pallet Weight, Metric	159.96 kg
Quantity Per Pallet	1

HP Color LaserJet CM6040f MFP



Jetdirect Products

- [HP High-Performance Secure EIO Hard Disk \(J8019A\)](#)
- [HP Jetdirect en1700 \(J7988G\) \(Discontinued\)](#)
- [HP Jetdirect en3700 \(J7942G\) \(Discontinued\)](#)
- [HP Jetdirect 620n Fast Ethernet Print Server \(J7934G\)](#)
- [HP Jetdirect 630n \(J7997G\) \(Discontinued\)](#)
- [HP Jetdirect 635n \(J7961G\) \(Discontinued\)](#)
- [HP Jetdirect 640n Print Server \(J8025A\)](#)
- [HP Jetdirect ew2400 \(J7951G\) \(Discontinued\)](#)
- [HP Jetdirect ew2500 802.11b/g Wireless Print Server \(J8021A\)](#)
- [HP Jetdirect 690n \(J8007G\) \(Discontinued\)](#)
- [HP Jetdirect 695nw Print Server \(J8024A\)](#)

Accessories

HP Digital Sending Software

HP Digital Sending Software (T1936AA)

HP Universal Print Driver for Windows 5.2

HP Universal Print Driver for Windows (J7980A/J7981A)

Memory and mass storage

HP High Performance Serial ATA Hard Disk(J7989G)

HP 256 MB 167 MHz 200-pin DDR DIMM (Q7558A)

DDR DIMM (167 MHz, 200-pin): 512 MB (Q7559A) (Discontinued)

Connectivity

HP 1284B Parallel Card (J7972G)

Paper-handling accessories

HP Staple Cartridge Refill (C8091A)

HP 2-pack 2000-staple Cartridge (CC383A)

HP Booklet Maker/Finisher with Output (CC516A)

HP 3-bin Stapler/Stacker with Output (CC517A)

Maintenance kits

HP Color LaserJet CE487C ADF Roller Kit (CE487C)

LaserJet font solutions

HP BarCode Printing Solution/USB (HG271US)

HP BarCodes and More/Hi-Speed USB (HG281US)

HP Scalable BarCode Font Set/Hi-Speed USB (HG282UT)

HP Blank Programmable USB Device (HG288UP)

HP Blue Kit Full Color IPDS Emulation USB (HG363UC)

Other

HP Access Control Smartcard Solution for US Government (CC543A)

Security Lock Adapter Kit (Q3931-67925)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP 824A Cyan Original LaserJet Toner Cartridge ([CB381A](#))

HP 824A Yellow Original LaserJet Toner Cartridge ([CB382A](#))

HP 824A Magenta Original LaserJet Toner Cartridge ([CB383A](#))

HP 824A Black LaserJet Image Drum ([CB384A](#))

HP 824A Cyan LaserJet Image Drum ([CB385A](#))

HP 824A Yellow LaserJet Image Drum ([CB386A](#))

HP 824A Magenta LaserJet Image Drum ([CB387A](#))

HP 825A Black Original LaserJet Toner Cartridge ([CB390A](#))

HP Color LaserJet CB457A 110V Fuser Kit ([CB457A](#))

HP Color LaserJet CB458A 220V Fuser Kit ([CB458A](#))

HP Color LaserJet CB459A Roller Kit ([CB459A](#))

HP Color LaserJet CB463A Transfer Kit ([CB463A](#))

Compatible Paper Products

Top Recommended Papers

HP Premium Glossy Presentation Paper

8.5 x 11 in	32 lb	250 sheets	CG988A
11 x 17 in	32 lb	250 sheets	Q2547A

HP Laser Glossy Brochure Paper

8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	40 lb	150 sheets	Q6611A

HP Premium Choice Laser Paper

8.5 x 11 in	32 lb	500 sheets	HPU1132
-------------	-------	------------	-------------------------

HP Brochure and Presentation Papers

HP Premium Glossy Presentation Paper

8.5 x 11 in	32 lb	250 sheets	CG988A
11 x 17 in	32 lb	250 sheets	Q2547A

HP Laser Matte Brochure Paper

8.5 x 11 in	52 lb	100 sheets	Q8824A
-------------	-------	------------	------------------------

8.5 x 11 in	40 lb	150 sheets	Q6543A
HP Laser Glossy Tri-fold Brochure Paper			
8.5 x 11 in	40 lb	150 sheets	Q6612A
HP Laser Glossy Brochure Paper			
8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	40 lb	150 sheets	Q6611A
HP Everyday Papers			
HP Premium Choice Laser Paper			
8.5 x 11 in	32 lb	500 sheets	HPU1132
HP LaserJet Paper			
8.5 x 11 in	24 lb	500 sheets	HPJ1124
8.5 x 11 in	24 lb	2,500 sheets (5 reams)	HPJ115R
HP All-in-One Printing Paper			
8.5 x 11 in	22 lb	500 sheets	HPT1122
8.5 x 11 in	22 lb	2,500 sheets	HPT115
HP Multipurpose Paper			
8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPM115RC
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPM113H
8.5 x 14 in	20 lb	500 sheets	HPM1420
11 x 17 in	20 lb	500 sheets	HPM1720
HP Office Paper			
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPC115RC
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPC8511C
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPC3HP
8.5 x 14 in	20 lb	500 sheets	HPC8514
11 x 17 in	20 lb	500 sheets	HPC1117
8.5 x 11 in	20 lb	500 sheets	HPC8511R
HP Office Quickpack			
8.5 x 11 in	20 lb	2,500 sheets	HP2500S
HP Recycled Paper			
8.5 x 11 in	20 lb	500 sheets	HPE1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPE1120C
HP Business Copy Paper			
8.5 x 11 in	20 lb	500 sheets	HPBC11
HP Everyday Copy and Print Paper			
8.5 x 11 in	20 lb	500 sheets	HPA510

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

1. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.
2. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance and application software.
3. Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
4. Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

- 5 . HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 6 . 115 VAC unit tested. Data from color simplex printing and copying. Values subject to change. See <http://www.hp.com/support> for current information. Power numbers are the highest values measured using all standard voltages.