



Ordering Information

Commercial model number:
CC394A (BCC)¹

Canada model number:
CC394A (BCC)

Sidebar

In the box:

Print cartridge
Control panel overlay
Power cord
Printer documentation
Software on CD-ROM

Software:

Print drivers and installation
HP Digital Sending software
on CD-ROM

Standard warranty:

1 year Next Business Day
Onsite

Replaces

[HP LaserJet 9040mfp](#) [Q3726A Compare](#)

HP Care Pack Options

Recommended Care Pack Services

Installation with Network Setup Service **U2014E**

Next Business Day Onsite: 3 years **H7700E**

Optional Care Pack Services

Installation with Network Setup Service **U2014E**

Same Day Onsite, Standard Business Hours: 3 years **U4928E**

Same Day Onsite, Standard Business Hours: 4 years **UJ569E**

Get solid, all-around performance from this wide-format, high-volume multifunction laser printer.

Enable users to perform office functions with ease. The simple user interface makes it easy to use features like digital sending, two-sided scanning and printing, plus a variety of finishing options.

Increase productivity with this full-featured, wide-format multifunction printer. Improve workflow with digital sending. Do more, faster, with a variety of automatic paper-handling capabilities. Then complete the job with advanced finishing options.

Experience HP reliability and a multifunction printer you can count on. This same reliability is built into all original HP LaserJet printer cartridges and supplies. Plus, printer management is simplified with HP Web Jetadmin.



[Enlarge Image](#)

Compatible Operating Systems

Standard Desktop

Windows 2000	*
Windows XP	*
Windows® 7	Available through HP Universal Print Driver
Windows® 8	Available through HP Universal Print Driver
Linux	See http://www.hplip.net
Mac OS	Mac OS X v 10.2.8, 10.3, 10.4, 10.5, 10.6

Standard Network

Windows 2000	*
Windows XP/XP 64-bit	*
Windows Server 2003	*
Windows Vista®	*
Other	Novell NetWare 3.2, 4.2, 5.x, 6.x; Mac OS v 10.2.8, 10.3, 10.4 or higher; Red Hat Linux 6.x or higher; SuSE Linux 6.x or higher; HP-UX 10.20, 11.x; Solaris 2.5x, 2.6, 7, 8, 9, 10 (SPARC systems only); IBM AIX 3.2.5 or higher; MPE-iX; Citrix MetaFrame; Windows Terminal Services

Additional Information

Sales

www.hp.com/go/mfp
[Data Sheet 4AA1-6964ENUC](#)

Technical Support

www.hp.com/support

Third-party solutions

www.hpgsc.com

Reseller

<http://hp.com/partners/us>

Services

<http://www.hp.com/go/services>

Supplies and accessories

www.hp.com

Same Day
Onsite,
Standard
Business
Hours: 5 years

UJ571E

Same Day
Onsite,
Extended
Business
Hours: 3 years

U2019E

Same Day
Onsite,
Extended
Business
Hours: 4 years

UJ570E

Same Day
Onsite,
Extended
Business
Hours: 5 years

UJ572E

Next Business
Day Onsite: 3
years

H7700E

Next Business
Day Onsite: 4
years

UJ528E

Next Business
Day Onsite: 5
years

UJ568E

Next Business
Day Onsite
with DMR: 3
years

UK668E

Next Business
Day Onsite
with DMR: 4
years

UT986E

Next Business
Day Onsite
with DMR: 5
years

UU851E

Next Business
Day Onsite
Call-to-Repair
with DMR: 3
years

HZ089E

Next Business
Day Onsite
Call-to-Repair
with DMR: 4
years

HZ090E

Next Business
Day Onsite
Call-to-Repair
with DMR: 5
years

HZ091E

Second
Business Day
Onsite Call-to-
Repair with
DMR: 3 years

HZ093E

Brand Specifications

PRINTER

AIO/MFP Functions	Black and white printing, black and white copying, color scanning, color digital sending; optional black and white faxing
Print Speed Black, Letter:	
ISO/Best Quality	Up to 40 ppm
First Page Out	Less than 8 sec from Ready move
Processor	533 MHz
Paper Trays, Std	4
Paper Trays, Max	4
Input Capacity, Std	3,100 sheets
Input Capacity, Max	3,100 sheets
Output Capacity, Std	Up to 1,000 sheets (with multifunction finisher), up to 3,000 sheets (with stacker or stapler/stacker), up to 2,000 sheets (with 8-bin mailbox) (product requires one of four output options; output varies with choice of output paper handling device) ¹
Output Capacity, Max	Up to 1,000 sheets (with multifunction finisher), up to 3,000 sheets (with stacker or stapler/stacker), up to 2,000 sheets (with 8-bin mailbox) (product requires one of four output options; output varies with choice of output paper handling device) ¹
Envelope Input, Std	10
Envelope Feeder	No
Two-Sided Printing	Automatic (standard)
Typefaces	80 internal TrueType scalable in HP PCL and HP postscript level 3 emulation; additional font solutions available via flash memory
Print Quality, Black Best	HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi
Print Resolution Technology	HP RET
Print Cartridges	1 (black)
Print Languages, Std	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF (v1.3), XHTML-Print 0.95, HP PJP (Printer Job Language), PML (Printer Management Language)
Display Type	Graphical touchscreen display

SCANNER

Scan Speed	Not available
Scan Resolution, Enhanced	Up to 600 dpi
Scan Resolution, Optical	Up to 600 dpi
Grayscale Levels	256

COPIER

Copy Speed, Max, Black	Up to 40 ppm
Copy Resolution, Black Text	Up to 600 x 600 dpi
Copy Resolution, Black Graphics	Up to 600 x 600 dpi
Copier Settings	Scalability, contrast, N-up, auto/text/graphic, one-pass two-sided scanning, change size, change orientation, crop, move, hide
Number Of Copies, Max	999
Copier Reduce/Enlarge	25–400% (from glass), 25–200% (from ADF)

FAX

Fax Speed	Optional; up to 33.6 Kbps (optional faxing with HP MFP Analog Fax accessory)
------------------	--

DIGITAL SENDING

Second Business Day Onsite Call-to-Repair with DMR: 4 years

Second Business Day Onsite Call-to-Repair with DMR: 5 years

Maintenance Kit Replacement Service (Fuser)

Post Warranty Service, Remote User Assistance Support: 1 year

Post Warranty Service, Same Day Onsite, Standard Business Hours: 1 year

Post Warranty Service, Same Day Onsite, Extended Business Hours: 1 year

Post Warranty Service, Next Business Day Onsite: 1 year

Post Warranty Service, Next Business Day Onsite: 2 years

Post Warranty Service, Next Business Day Onsite with DMR: 1 year

Post Warranty Service, Next Business Day Onsite Call-to-Repair with DMR: 1 year

Post Warranty Service, Second Business Day Onsite Call-to-Repair with DMR: 1 year

HZ094E

HZ095E

U9877E

UU927PE

U6402PE

U2052PE

U2020PE

UT813PE

UK676PE

HZ092PE

HZ096PE

Digital Sending Features, Std

Digital Sending Features, Opt

Digital Sending File Formats

Send to e-mail, send to network folder, LDAP and Kerberos authentication

Send to folder, authentication, send to LAN Fax, send to printer, send to application

PDF, JPEG, TIFF, MTIFF

GENERAL

Duty Cycle, Monthly

Up to 300,000 pages

Recommended Monthly Volume

15,000 to 50,000 pages

ADF Capacity

100 sheets

Media Types

Paper (plain, preprinted, letterhead, prepunched, bond, color, recycled, rough), transparencies, labels, cardstock

Media Sizes, Std

Letter, legal, executive, tabloid, JPostD, envelopes (No. 10, Monarch)

Media Sizes, Std, Metric

A3, A4, A5, B4 (JIS), B5 (JIS), B6, C5, DL

Media Sizes, Custom

Multipurpose tray 1: 3.9 x 7.5 in to 12.3 x 18.5 in; trays 2, 3, 4, ADF and flatbed: 5.8 x 8.3 in to 11.7 x 17 in

Media Sizes, Custom, Metric

Multipurpose tray 1: 98 x 191 to 312 x 470 mm; Trays 2, 3, 4 ADF and flatbed: 148 x 210 to 297 x 432 mm

Media Weights

Multipurpose tray 1: 16 to 58 lb; tray 2 and 3, optional tray 4: 16 to 53 lb

Media Weights, Metric

Multipurpose tray 1: 64 to 216 g/m²; trays 2, 3 and 4: 64 to 199 g/m²

Connectivity, Std

USB, HP Jetdirect Fast Ethernet embedded print server, embedded hard disk, 1 open EIO slot
HP Jetdirect internal, external and wireless print servers

Connectivity, Opt

Mobile Printing Capability

None

Memory, Std

384 MB

Memory, Max

512 MB

Hard Disk Drive

Optional, HP high-performance embedded hard disk

Power Supply Type

Internal

Power Supply Required

110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz)

Power Consumption

1022 watts (printing), 1030 watts (copying), 331 watts (ready), 244 watts (sleep), 2 watts (off)²

Typical Electricity Consumption (TEC)

18.9 kWh/Week

ENERGY STAR® Qualified

No

Mac Compatible

Yes

Dimensions (W x D x H)

46 x 31 x 47 in (with stacker or stapler/stacker), 51 x 31 x 47 in (with multifunction finisher)

Weight

317 lb (without finishing output option)

Dimensions, Metric

1168.4 x 787.4 x 1193.8 mm (with stapler/stacker), 1295.4 x 787.4 x 1193.8 mm (with multifunction finisher), 1092 x 838.2 x 1219 mm (minimum)

Weight, Metric

143 kg (without finishing output solution)

Shipping Dimensions

38.5 x 36 x 57 in

Shipping Weight

399 lb

Shipping Dimensions, Metric

977.9 x 914.4 x 1447.8 mm

Shipping Weight, Metric

181.4 kg

Pallet Dimensions

39.4 x 36 x 57 in

Pallet Dimensions, Metric

1000 x 915 x 1447 mm

Pallet Weight

60 lb

Pallet Weight, Metric

27.4 kg

Quantity Per Pallet

1

HP LaserJet M9040 MFP/M9050 MFP

(M9040 MFP shown)



Memory map
M9040 MFP • M9050 MFP
512 MB Maximum Usable Memory/3 Slots

Internal Fixed Installed Open Open

Note: Multifunction finisher shown.
One of four output options required:
3,000-sheet stapler/stacker, 3,000-sheet
stacker, 8-bin mailbox or multifunction finisher.

Jetdirect Products

- [HP High-Performance Secure Hard Disk \(J8018A\)](#)
- [HP High-Performance Secure EIO Hard Disk \(J8019A\)](#)
- [HP Jetdirect en1700 \(J7988G\) \(Discontinued\)](#)
- [HP Jetdirect en3700 \(J7942G\) \(Discontinued\)](#)
- [HP Jetdirect 620n Fast Ethernet Print Server \(J7934G\)](#)
- [HP Jetdirect 630n \(J7997G\) \(Discontinued\)](#)
- [HP Jetdirect 635n \(J7961G\) \(Discontinued\)](#)
- [HP Jetdirect 640n Print Server \(J8025A\)](#)
- [HP Jetdirect ew2400 \(J7951G\) \(Discontinued\)](#)
- [HP Jetdirect ew2500 802.11b/g Wireless Print Server \(J8021A\)](#)
- [HP Jetdirect 690n \(J8007G\) \(Discontinued\)](#)
- [HP Jetdirect 695nw Print Server \(J8024A\)](#)

Accessories

HP Digital Sending Software

HP Digital Sending Software (T1936AA)

HP Universal Print Driver for Windows 5.2

HP Universal Print Driver for Windows (J7980A/J7981A)

Memory and mass storage

DDR DIMM (100-pin): 256 MB (Q7719A) (Discontinued)

Paper-handling accessories

- HP LaserJet MFP 3000-sheet Stacker (C8084A)
- HP LaserJet MFP 3000-sheet Stapler/Stacker (C8085A)
- HP LaserJet MFP Multifunction Finisher (C8088B)
- HP Staple Cartridge Refill (C8091A)
- HP 5000-staple Cartridge (C8092A)
- HP MFP Analog Fax Accessory (Q3701A)
- HP LaserJet 8-Bin Mailbox (Q5693A)

Maintenance kits

- HP LaserJet 110V User Maintenance Kit (C9152A)
- HP LaserJet 220V User Maintenance Kit (C9153A)

LaserJet font solutions

- HP BarCode Printing Solution/USB (HG271US)
- HP MICR Printing Solution - USB (HG277US)
- HP BarCodes and More/Hi-Speed USB (HG281US)
- HP Scalable BarCode Font Set/Hi-Speed USB (HG282UT)
- HP MICR Font/Hi-Speed USB (HG283US)
- HP Blank Programmable USB Device (HG288UP)
- HP Blue Kit IPDS Emulation USB (HG379UM)

Other

HP Access Control Smartcard Solution for US Government (CC543A)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP 43X High Yield Black Original LaserJet Toner Cartridge ([C8543X](#))

Compatible Paper Products

Top Recommended Papers

HP LaserJet Paper

8.5 x 11 in	24 lb	500 sheets	HPJ1124
-------------	-------	------------	-------------------------

HP Brochure and Presentation Papers

HP Premium Glossy Presentation Paper			
8.5 x 11 in	32 lb	250 sheets	CG988A
HP Laser Glossy Tri-fold Brochure Paper			
8.5 x 11 in	40 lb	150 sheets	Q6612A
HP Laser Glossy Brochure Paper			
8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	40 lb	150 sheets	Q6611A
HP Everyday Papers			
HP Premium Choice Laser Paper			
8.5 x 11 in	32 lb	500 sheets	HPU1132
HP LaserJet Paper			
8.5 x 11 in	24 lb	500 sheets	HPJ1124
8.5 x 11 in	24 lb	2,500 sheets (5 reams)	HPJ115R
HP All-in-One Printing Paper			
8.5 x 11 in	22 lb	500 sheets	HPT1122
8.5 x 11 in	22 lb	2,500 sheets	HPT115
HP Multipurpose Paper			
8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPM115RC
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPM113H
8.5 x 14 in	20 lb	500 sheets	HPM1420
11 x 17 in	20 lb	500 sheets	HPM1720
HP Office Paper			
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPC115RC
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPC8511C
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPC3HP
8.5 x 14 in	20 lb	500 sheets	HPC8514
11 x 17 in	20 lb	500 sheets	HPC1117
8.5 x 11 in	20 lb	500 sheets	HPC8511R
HP Office Quickpack			
8.5 x 11 in	20 lb	2,500 sheets	HP2500S
HP Recycled Paper			
8.5 x 11 in	20 lb	500 sheets	HPE1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPE1120C
HP Business Copy Paper			
8.5 x 11 in	20 lb	500 sheets	HPBC11
HP Everyday Copy and Print Paper			
8.5 x 11 in	20 lb	500 sheets	HPA510

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

1. Product requires one of four output options: 3,000-sheet stapler/stacker (C8085A), 3,000-sheet stacker (C8084A), 8-bin mailbox (Q5693A) or multifunction finisher (C8088B).
2. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.