



Ordering Information

Commercial model number:
CE992A (BGJ/AAZ/201)

Canada model number:
CE992A

Sidebar

In the box:

Print cartridge
HP ePrint flyer
Getting started guide
Right-angle power cord
Software and documentation on CD-ROM
Support flyer
Automatic two-sided printing accessory

Software:

Windows Installer
HP PCL 6 print driver
Mac Installer
Postscript driver

Standard warranty:

1 year, next business day, on-site limited

Replaces

[HP LaserJet P4015n Printer](#) CB509A [Compare](#)

[HP LaserJet P4015tn Printer](#) CB510A [Compare](#)

[HP LaserJet P4015x Printer](#) CB511A [Compare](#)

HP Care Pack Options

Recommended Care Pack Services

Installation with Network Setup Service **UC742E**

Next Business Day Onsite with DMR: 3 years **HZ490E**

Optional Care Pack Services

Installation with Network Setup Service **UC742E**

Fast, high-quality printing, reliable performance and added extensibility.

Keep your workflow moving with fast output and precision paper handling. High-capacity paper trays, plus options to add more, give you up to 3,600 sheets.¹ Manage print jobs from the color control panel, and print directly from a flash drive.



Enlarge Image

Cut energy use as much as 45 percent, compared to a majority of competing laser printers.² Set and adjust printing policies based on a workgroup's real-time usage. Save paper with automatic two-sided printing.

Lead your business to a more responsible approach to printing and handling sensitive data. HP technology helps you enforce policies, enhance security, and give your workgroup the tools to support larger business initiatives.

Extend your print capabilities to keep pace with your growing business. Get a host of mobile and direct printing options with HP ePrint.³ Customize new solutions seamlessly, with minimal disruption.⁴

Compatible Operating Systems

Standard Desktop

Windows XP	SP2 or higher
Windows Server 2003	*
Windows Server 2008	*
Windows Vista®	*
Windows® 7	*
Novell NetWare	See http://www.novell.com/iprint for latest support
UNIX®	See http://www.hp.com/go/unix , http://www.hp.com/go/unixmodelscripts , http://www.hp.com/go/jetdirectunix_software
Linux	See http://www.hplip.net
Mac OS	Mac OS X v 10.5, 10.6, 10.7
Other	Citrix and Windows Terminal Services (see System Administrator's Guide at http://www.hp.com/go/upd , Documentation tab for latest support); SAP device types (see http://www.hp.com/go/sap/drivers and http://www.hp.com/go/sap/print)

Additional Information

Sales

www.hp.com
[Data Sheet 4AA3-6459ENUC](#)

Technical Support

www.hp.com/support

Third-party solutions

www.hpgsc.com

Reseller

<http://hp.com/partners/us>

Services

<http://www.hp.com/go/services>

Brand Specifications

PRINTER

Print Technology	Laser
Print Speed Black, Letter: ISO/Best Quality	Up to 52 ppm ⁵
First Page Out	As fast as 8.5 sec from Ready mode
Processor	800 MHz
Paper Trays, Std	2
Paper Trays, Max	6
Input Capacity, Std	600 sheets
Input Capacity, Max	3,600 sheets
Output Capacity, Std	600 sheets
Output Capacity, Max	1,100 sheets
Envelope Input, Std	10
Envelope Feeder	75
Two-Sided Printing	Automatic (standard)
Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Prints Color	No
Print Quality, Black Best	Up to 1200 x 1200 dpi
Print Resolution Technology	HP ProRes 1200, HP FastRes 1200, HP REt, 600 dpi, 300 dpi
Print Languages, Std	HP PCL 6, HP PCL 5e (HP PCL 5e driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.4)
Printer Management	HP Web Jetadmin, HP SureSupply, HP Utility (Mac)
Display Type	4-line LCD (color text and graphics)

GENERAL

Duty Cycle, Monthly	Up to 225,000 pages ⁶
Recommended Monthly Volume	3,000 to 15,000 pages ⁷
Media Types	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies, shelf edge labels, user-defined
Media Sizes, Std	Multipurpose tray 1: letter, legal, executive, statement, 8.5 x 13 in, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelope (commercial No. 9, No. 10, Monarch), US postcard; tray 2, optional 500-sheet input tray: letter, legal, executive, 8.5 x 13 in; optional 1500-sheet high-capacity input tray: letter, legal
Media Sizes, Std, Metric	Multipurpose tray 1: A4, A5, A6, B5 (JIS), B6 (JIS), 16K, Dpostcard (JIS), executive (JIS), RA4, 10 x 15 cm, envelope (DL ISO, C5 ISO, C6 ISO, B5 ISO); tray 2, optional 500-sheet input tray: executive (JIS), A4, A5, RA4, B5 (JIS), 16K; optional 1500-sheet high-capacity input tray: A4
Media Sizes, Custom	Multipurpose tray 1: 3 x 5 in to 8.5 x 14 in; tray 2, optional 500-sheet input tray: 5.83 x 8.27 in to 8.5 x 14 in; optional custom media cassette: 4.02 x 5.83 in to 6.69 x 11.10 in

Same Day
Onsite,
Standard
Business
Hours: 3 years

HZ480E

Same Day
Onsite,
Standard
Business
Hours: 4 years

HZ493E

Same Day
Onsite,
Standard
Business
Hours: 5 years

HZ494E

Same Day
Onsite,
Extended
Business
Hours: 3 years

HZ481E

Same Day
Onsite,
Extended
Business
Hours: 4 years

HZ491E

Same Day
Onsite,
Extended
Business
Hours: 5 years

HZ492E

Next Business
Day Onsite: 3
years

HZ478E

Next Business
Day Onsite
with DMR: 3
years

HZ490E

Next Business
Day Onsite
with DMR: 4
years

HZ488E

Next Business
Day Onsite
with DMR: 5
years

HZ489E

Next Business
Day Onsite
Call-to-Repair
with DMR: 3
years

HZ742E

Next Business
Day Onsite
Call-to-Repair
with DMR: 4
years

HZ743E

Next Business
Day Onsite
Call-to-Repair
with DMR: 5
years

HZ744E

Second

HZ745E

Business Day
Onsite Call-to-
Repair with
DMR: 3 years

HZ746E

Second
Business Day
Onsite Call-to-
Repair with
DMR: 4 years

HZ747E

Second
Business Day
Onsite Call-to-
Repair with
DMR: 5 years

HZ479E

Next Business
Day Exchange:
3 years

HZ485E

Next Business
Day Exchange:
4 years

HZ486E

Next Business
Day Exchange:
5 years

U1G03E

Maintenance
Kit
Replacement
Service
(Fuser)

HC128PE

Post Warranty
Service,
Remote User
Assistance
Support: 1
year

HZ499PE

Post Warranty
Service, Same
Day Onsite,
Standard
Business
Hours: 1 year

HZ500PE

Post Warranty
Service, Same
Day Onsite,
Extended
Business
Hours: 1 year

HZ502PE

Post Warranty
Service, Next
Business Day
Onsite: 2 years

HZ501PE

Post Warranty
Service, Next
Business Day
Onsite with
DMR: 1 year

HZ748PE

Post Warranty
Service, Next
Business Day
Onsite Call-to-
Repair with
DMR: 1 year

Media Sizes, Custom, Metric

Multipurpose tray 1: 76 x 127 to 216 x 356 mm;
tray 2, optional 500-sheet input tray: 148 x 210
to 216 x 356 mm; optional custom media
cassette: 102 x 148 to 170 x 282 mm

Media Weights

Multipurpose tray 1: 16 to 53 lb; tray 2, optional
500-sheet input tray, optional custom media
cassette, optional 1500-sheet high-capacity
input tray: 16 to 32 lb; optional envelope feeder:
20 to 28 lb; duplexer: 16 to 32 lb

Media Weights, Metric

Multipurpose tray 1: 60 to 200 g/m²; tray 2,
optional 500-sheet input tray, optional custom
media cassette, optional 1500-sheet high-
capacity input tray: 60 to 120 g/m²; optional
envelope feeder: 75 to 105g/m²; duplexer: 60 to
120 g/m²

Connectivity, Std

Hi-Speed USB 2.0, Gigabit Ethernet, 2 external
Host USB (1 walk-up and 1 external accessible),
2 internal Host USB 2.0-like ports (for 3rd party
connection), 1 Hi-Speed USB 2.0 HIP (for 3rd
party connection)

Connectivity, Opt

HP Jetdirect wireless print servers; 802.11b/g/n
wireless LAN (Station mode), other networking
accessories

Mobile Printing Capability

HP ePrint, Apple AirPrint™

Memory, Std

512 MB

Memory, Max

1 GB

Hard Disk Drive

None

Power Supply Type

Internal (Built-in) power supply

Power Supply Required

110-volt input voltage: 100 to 127 VAC (+/-
10%), 50/60 Hz (+/- 3 Hz); 220-volt input
voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/-
3 Hz) (Not dual voltage, power supply varies by
part number with # Option code identifier)

Power Consumption

820 watts (Printing), 21 watts (Ready), 5.5 watts
(Sleep), 1.0 watt (Auto-Off), 0.3 watts (Manual-
Off)⁸

Typical Electricity Consumption (TEC)

3.763 kWh/Week

ENERGY STAR® Qualified

Yes

Mac Compatible

Yes

Dimensions (W x D x H)

16.3 x 30.2 x 15.7 in (maximum), 16.3 x 20 x
15.7 in (minimum)

Weight

57.8 lb

Dimensions, Metric

415 x 768 x 398 mm (maximum), 415 x 508 x
398 mm (minimum)

Weight, Metric

26.3 kg

Shipping Dimensions

23.15 x 24.92 x 19.65 in

Shipping Weight

66.22 lb

Shipping Dimensions, Metric

588 x 633 x 499 mm

Shipping Weight, Metric

30.1 kg

Pallet Dimensions

40 x 48 x 80 in

Pallet Dimensions, Metric

1200 x 1000 x 2024 mm

Pallet Weight

844 lb

Pallet Weight, Metric

384 kg


Quantity Per Pallet

12

HP LaserJet Enterprise 600 M602
(M602n shown)



Front view



Rear view

Note: Automatic two-sided printing accessory is optional on M602n.

Post Warranty Service, Second Business Day Onsite Call-to-Repair with DMR: 1 year

HZ749PE

Post Warranty Service, Next Day Exchange: 1 year

HZ497PE

Jetdirect Products

[HP Jetdirect ew2500 802.11b/g Wireless Print Server \(J8021A\)](#)
[HP Jetdirect 2700w USB Wireless Print Server \(J8026A\)](#)

Accessories

HP Universal Print Driver for Windows 5.2

HP Universal Print Driver for Windows (J7980A/J7981A)

HP Web Jetadmin Software 10.3

HP Web Jetadmin Software 10.3 (J6052AA)

Cables

HP USB Cable 2.0 (a-b) 3 meter (C6520A) (Discontinued)

HP Hi-Speed USB Cable (6 ft./1.8 m) (Q6264A) (Discontinued)

Memory and mass storage

HP 512 MB 144-pin x32 DDR2 DIMM (CE483A)

Paper-handling accessories

HP LaserJet P4010/P4510/600 Series Printer Stand (CB525A)

HP LaserJet Custom Media Tray (CB527A)

HP LaserJet 1500-sheet High-capacity Input Tray (CE398A)

HP LaserJet 75-sheet Envelope Feeder (CE399A)

HP LaserJet 500-sheet Stacker (CE404A)

HP LaserJet 500-sheet Stapler/Stacker (CE405A)

HP LaserJet 500-sheet 5-bin Mailbox (CE997A)

HP LaserJet 500-sheet Input Tray Feeder (CE998A)

HP 1000-staple Cartridge (Q3216A)

Maintenance kits

HP LaserJet CF064A 110V Maintenance Kit (CF064A)

HP LaserJet CF065A 220V Maintenance Kit (CF065A)

LaserJet font solutions

HP BarCode Printing Solution (HG271TT)

HP MICR Printing Solution - USB (HG277TT)

HP BarCodes and More v.2 - USB (HG281TS)

HP Scalable BarCodes v.2 - USB (HG282TT)

HP MICR Font v.2 - USB (HG283TS)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP 90A Black Original LaserJet Toner Cartridge ([CE390A](#))

HP 90X High Yield Black Original LaserJet Toner Cartridge ([CE390X](#))

HP 90X 2-pack High Yield Black Original LaserJet Toner Cartridges ([CE390XD](#))

Compatible Paper Products

Top Recommended Papers

HP LaserJet Paper

8.5 x 11 in	24 lb	500 sheets	HPJ1124
-------------	-------	------------	-------------------------

HP Brochure and Presentation Papers

HP Premium Glossy Presentation Paper

8.5 x 11 in	32 lb	250 sheets	CG988A
-------------	-------	------------	------------------------

HP Laser Glossy Tri-fold Brochure Paper

8.5 x 11 in	40 lb	150 sheets	Q6612A
-------------	-------	------------	------------------------

HP Laser Glossy Brochure Paper

8.5 x 11 in	52 lb	100 sheets	Q6608A
-------------	-------	------------	------------------------

8.5 x 11 in	40 lb	150 sheets	Q6611A
-------------	-------	------------	------------------------

HP Everyday Papers

HP Premium Choice Laser Paper

8.5 x 11 in	32 lb	500 sheets	HPU1132
-------------	-------	------------	-------------------------

HP LaserJet Paper

8.5 x 11 in	24 lb	500 sheets	HPJ1124
-------------	-------	------------	-------------------------

8.5 x 11 in	24 lb	2,500 sheets (5 reams)	HPJ115R
HP All-in-One Printing Paper			
8.5 x 11 in	22 lb	500 sheets	HPT112Z
8.5 x 11 in	22 lb	2,500 sheets	HPT115
HP Multipurpose Paper			
8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPM115RC
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPM113H
8.5 x 14 in	20 lb	500 sheets	HPM1420
HP Office Paper			
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPC115RC
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPC8511C
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPC3HP
8.5 x 14 in	20 lb	500 sheets	HPC8514
8.5 x 11 in	20 lb	500 sheets	HPC8511R
HP Office Quickpack			
8.5 x 11 in	20 lb	2,500 sheets	HP2500S
HP Recycled Paper			
8.5 x 11 in	20 lb	500 sheets	HPE1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPE1120C
HP Business Copy Paper			
8.5 x 11 in	20 lb	500 sheets	HPBC11
HP Everyday Copy and Print Paper			
8.5 x 11 in	20 lb	500 sheets	HPA510

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

1. The 1 x 1500-sheet high-capacity input tray may be purchased separately for the HP LaserJet Enterprise 600 M602 Printer series.
2. Energy data used to calculate savings based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method vs. a majority of worldwide top-selling competitive models less than \$2,299 as of March 2011 using data reported in <http://www.energystar.gov> and <http://eu-energystar.org> as of July 2011. Data extended to one year. Actual results may vary.
3. Requires an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Print times may vary. For a list of supported documents, and image types, see <http://www.hp.com/go/eprintcenter>. And for additional solutions, see <http://www.hp.com/go/mobile-printing-solutions>.
4. Solutions deployed through the hardware integration pocket may require additional purchase.
5. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.
6. Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
7. HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
8. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Power

consumption in Auto-Off mode depends on customer network switch capability, user configuration and network activity. Off-mode power may vary while checking network packets for print jobs.